## SAFETY DATA SHEET

TEVA® Resin Disc SDS - Disc

Section 1: Chemical Product and Company Identification

Product Name TEVA® Resin Disc

Product Number(s): TE-D10-F, TE-D10-FX, TE-D50-F, TE-D50-FX

Product Synonym(s): TEVA® Resin Disc

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Revision Date: 01-Feb-18

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

Country Specific Emergency Numbers:

Australia: 1-300-954-583 India: 000-800-100-4086 Brazil: 0-800-591-6042 Mexico: 1-800-99-731

# Section 2: Hazard(s) Identification

2.1 Classification of the substance or mixture

GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4)

Skin corrosion/irritation

Chronic hazards to the aquatic environment (Category 1)

2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word Danger

Hazard Statement(s):

P391

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

Collect Spillage.

H410 Very toxic to aquatic life with long lasting effects

Mixture contains of component(s) of unknown hazards to the aquatic environment

#### Precautionary Statement(s):

Prevention	P260	Do not breathe dust.		
	P264	Wash hands thoroughly after handling.		
	P270	Do not eat, drink or smoke when using this product.		
	P273	Avoid release to the environment.		
	P280	Wear protective gloves, clothing, and eye protection.		
Response	P301+P330+P331	IF SWALLOWED: Rinse mouth. DO NOT induce vomitting.		
	P303+P361+P353	IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin (or hair) with water.		
	P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.		
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P310	IMMEDIATELY call a POISON CONTROL CENTER or doctor.		
	P332+P313	If skin irritation occurs, seek medical attention.		
	P337+P313	If eye irritation persists, get medical attention.		
	P363	Wash contaminated clothing before reuse.		

		TEVA® Resin Disc SDS - Disc	Revision Date:	01-Feb-18
Storage	P405	Store locked up.		
Disposal	P501	Dispose of contents/container in accordance with federal, state,	and local regula	tions.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component		CAS_Number	Percentage Range
Nonionic Acrylic Ester Polymer		Trade Secret	55-61%
Trioctylmethylammonium chloride		63393-96-4	26-37%
Glass wool fiber		Trade Secret	0-10%
Decan-1-ol		112-30-1	0-3%
Octan-1-ol		111-87-5	0-3%
Section 4: First-aid Measures			
Ingestion	conscious).		contact local poison control center (if
			scious person. Consult a physician.
		Rinse mouth. DO NO	<del>-</del>
Skin Contact		curs, seek medical attent	
	Take victim immediately to a hospital. Consult a physician.		
			amounts of water. Remove and wash n develops, seek medical attention.
Eye Contact	Irrigate immediate seek medical atte		tes. Mechanical irritation is possible;
		e cautiously with water fo and easy to do. Continu	r several minutes. Remove contact e rinsing.
	·	eyes during transport to h	
Inhalation	IF INHALED: Rer breathing.	move to fresh air and kee	ep at rest in a position comfortable for
	Remove to fresh a	air. If breathing is labored ration. Seek medical att	d, administer oxygen. If not breathing, ention.
Most important symptoms and effects, both acute and delayed			effects are described in the labelling (see portant symptoms and effects are so far
Indication of any immediate medical attention and special treatment needed		symptoms (decontamina	ation, vital functions), no known specific
Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry 0	Chemical	
Fire and Explosion Hazards	Highly toxic and ir be toxic.	ritating fumes may be rel	leased and extinguishing water runoff may
	Polymer does not	support flame.	
Protective Equipment	Wear positive pre protective equipm		athing apparatus and full personal
Special Hazards	Possible combust	ion products include carb	oon oxides, nitrogen oxides (Nox)
Section 6: Accidental Release Me	easures		
Personal precautions		apors, mist, or gas. See	section 8.
		,,, J. g.c. 000	<del>-</del> -

and clean-up Page 2 of 6 Eichrom Technologies LLC Printed: Thursday, February 01, 2018

Surface may be slippery.

Avoid release to the environment.

**Environmental Precautions** 

Methods and materials for containment Collect Spillage.

<b>TFVA®</b>	Rasin	Disc	SDS -	Disc
	D €2111	1 /150	101 July -	1 /150

Ventilate area and wash spill site after material pickup is complete.

Sweep up material and transfer to a suitable container for disposal.

Revision Date:

01-Feb-18

Reference to other sections For disposal see section 13.

#### Section 7: Handling and Storage

Conditions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Use mechanical exhaust if dust is formed.

Conditions for safe storage Normal warehouse storage in cool, dry area is satisfactory.

Keep away from strong oxidizers.

Specific End Use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

# Section 8: Exposure Controls / Personal Protection

Control Parameters Per AIHA WEEL, 8hr-TWA for Octan-1-ol is 50 ppm.

Exposure Controls Do not eat, drink or smoke when using this product.

Skin Protection Wash hands thoroughly after handling.

Body protection Wear protective gloves, clothing, and eye protection.

mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or

canister may be permissible.

Do not breathe dust.

# Section 9: Physical Properties

Information on basic pl	hysical and chemical properties		
Appearance:	Solid Off-white, circular disc	Explosion Limits (Upper/Lower):	Not Established
Odor:		Flash Point:	Not established
Odor Threshold:	Not Established	Flammability:	Not Established
pH:	Not Relevant	Autolgnition Temperature:	Not Established
Melting Point:	Not Established	Decomposition	Not Established
Boiling Point:	100 °C	Temperature	
Relative Density:	g/mL at 25°C	VaporPressure:	Not Established
Solubility:	Insoluble in water	VaporDensity:	Not Established
Partition Coefficient:	Not Established	Evaporation Rate:	Not Established
Viscosity:	Not Applicable		

#### Section 10: Stability and Reactivity

Reactivity No hazardous reactions if stored and handled as indicated.

Chemical Stability Stable under normal handling and storage conditions.

Hazardous Reactions No hazardous reactions are expected in normal laboratory use. Hazardous

polymerization will not occur.

Conditions to Avoid Avoid Avoid all sources of ignition; heat, sparks, open flame. Avoid electro-static

discharge.

Materials to Avoid Contact with strong oxidizers will degrade material.

Hazardous decomposition Products No hazardous decomposition products if stored and handled as indicated. See also

section 5.

# Section 11: Toxicology Information

The product has not been tested. The statements on toxicology have been derived

from the properties of the individual components.

Acute Toxicity

Oral Effects The estimated oral LD50 for quaternary ammonium salt is 220 mg/kg (rat).

The estimated oral LD50 for TEVA® Resin is 477 mg/kg (rat).

Inhalation Effects No data available.

Dermal Effects May cause burns to the mouth, throat, and stomach.

Skin corrosion/irritation	
	Non-corrosive to skin via Corrositex® (skin) test.
Serious eye damage/irritation	
	May cause irritation or corneal injury.
Respiratory or skin sensitization	
	Based on the ingredients, there is no suspicion of a skin-sensitizing potential.
Germ Cell Mutagenicity	
	Based on the ingredients, there is no suspicion of a mutagenic effect.
Carcinogenicity	
	No specific data available. Minimize direct exposure to material
	The whole of the information assessable provides no indication of a carcinogenic effect.
Reproductive Toxicity	
	The results of animal studies suggest a fertility impairing effect.
	A component of the substance caused malformations/developmental toxicity in laboratory animals.
Specific Target Organ Toxicity	
Single Exposure	Based on the available information there is no specific target organ toxicity to be expected after a single exposure.
Repeated Exposure	Repeated exposure may affect certain organs.
Aspiration Hazard	
	No data available regarding aspiration hazards associated with this product.

	No data available regarding aspiration hazards associated with this product.		
Section 12: Ecological Information			
Aquatic Toxicity	*The product has not been tested. The statement has been derived from the properties of individual components using an additivity method.		
Acute Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 0.18 -0.32 mg/l - 96.0 h for trioctylammonium chloride		
	LC50 > 0.3-2.6 mg/l*		
Acute Toxicity to aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.01 -0.04 mg/l - 48 h for trioctylammonium chloride		
	estimated EC50 (48 h), 0.41 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*		
Acute toxicity to aquatic plants	estimated EC10, 0.28 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)* estimated EC50 (72h) 0.29 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static). The details of the toxic effect relate to the nominal concentration.*		
	estimated EC10 (72h) 0.35 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static). The details of the toxic effect relate to the nominal concentration.*		
Chronic Toxicity to fish	No data available regarding chronic toxicity to fish.		
Chronic Toxicity to aquatic invertebrates	No data available regarding chronic toxicity to daphnids.		
Chronic toxicity to aquatic plants Microorganisms/Effect on Activated Sludge	No data available regarding chronic toxicity to aquatic plants.		
Toxicity to Microorganisms	OECD Guideline 209 static, activated sludge, domestic/EC10 (3h): 11 mg/l*		
	OECD Guideline 209 static, activated sludge, domestic/EC50 (3h): 46 mg/l*		
Persistance and degradability			
Biodegradability	Not readily biodegradable.		
Biodegradation and elimination (H2O)	The organic component of the mixture is biodegradable.		
Elimination information	10% CO2 formation relative to the theoretical value (28d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated, sludge). Derived from products with similar chemical character.		
Stability in water	No data available.		
Bioaccumulative Potential	Discharge into the environment should be avoided.		
	Bioconcentration Factor for Organic components is calculated to be between 70-2,349, with an estimate of 1,778.		
Mobility in Soil	No data are available for mobility in soil.		

Revision Date: 01-Feb-18

#### TEVA® Resin Disc SDS - Disc

Transport between environmental

compartments

No data available.

PBT/vPvB assessment not available as chemical safety assessment not

required/not conducted.

Other An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal. Very toxic to aquatic life with long lasting effects.

Revision Date: 01-Feb-18

## Section 13: Disposal Considerations

General Dispose of contents/container in accordance with federal, state, and local

regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

Used: For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

### Section 14: Transport Information

UN Number	UN3077	
Land Transport (US DOT)		
Hazard Class	9	
Packing Group	III	
Hazard Label	9	
Proper Shipping Name	Environmentally hazardous substance, solid, n.o.s. (Trioctylmethylammonium Chloride), 9, III	

### **US** Department of Transportation Exceptions:

From 49 CFR 171.4 (c) (2) -- Single or combination packagings having a net mass of 5 kg or less for solids, are not subject to any other requirements of 49 CFR Subchapter C [Parts 171 – 177] provided the packagings meet the general requirements in §§173.24 and 173.24a [provided transportation is not by any form of watercraft capable of being used as a means of transportation on the water]

#### Air Transport (IATA)

Hazard Class 9
Packing Group III
Hazard Label 9

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

(Trioctylmethylammonium Chloride), 9, III

#### IATA Exceptions:

#### \*\*\*NEW PROVISION (2015)\*\*\*

From IATA DGR 56th edition Special Provision A197 -- UN3077 substances may be shipped as "not restricted" provided that the net quantity in any receptacle does not exceed 5 kg and the packaging used meets defined standards. Hazardous substance mark is not required on single packagings and combination packagings.

# Water Transport

(IMDG)
Hazard Class 9
Packing Group III
Hazard Label 9

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

(Trioctylmethylammonium Chloride), 9, III

#### IMDG Exceptions:

From IMDG Code 2.10.2.7 -- Marine pollutants packaged in single or combination packagings having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of the 2014 IMDG 4Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

# Section 15: Regulatory Information

#### **US Federal Regulations**

Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.

#### **US State Regulations**

Printed: Thursday, February 01, 2018 Page 5 of 6 Eichrom Technologies LLC

TEVA® Resin Disc SDS - Disc

A component, Octan-1-ol [CAS 111-87-5], is listed on the following state right to know lists:

MN, PA

A component, Deca-1-ol [CAS 112-30-1], is listed on the following state right to know lists:

Section 16: Other Information	
Revision	Added Labels for Shipping Exceptions.
	Replaces 28-May-2015 revision
	1-Feb-2018: Update Emergency Phone Numbers
SDS Prepared By:	Eichrom Technologies LLC
Trademark:	TEVA® Resin is a registered trademark of Fichrom Technologies LLC

PΑ

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.