		SAFELY DATA SP		
	Revision Date: 01-Feb-			
Section 1:	Chemical Produ	ct and Company Identification	1	
Product N	ame UTE	VA® Resin Column		
Product Num	ber(s): UT10- UT2C	C01-A, UT10-C20-A, UT1ML-R01- M-C01-A, UT2CM-C50-A, UT5-C01 50-S-1-3		
Product Syno		A® Resin Column		
Identified Use	es: Labor	atory chemicals, manufacture of sul	bstances	
Manufacturer	1955	om Technologies LLC University Lane Illinois 60532	General Information:	(8-5 CST M-F) 800-422-6693 (in USA) 630-963-0320
24 Hour Eme	ergency Number (l	JS/Canada): 1-800-255-3924	CHEMTEL Cor	tract #:MIS9554039
24 Hour Inter	rnational Access I	Number: 1-813-248-0585		
		Country Specific Emergend	cy Numbers:	
Australia:	1-300-954-583		India: 000-80	00-100-4086
Brazil:	0-800-591-6042	2	Mexico: 1-800-	99-731
-				
	Hazard(s) Identi			
2.1 Classifi	cation of the su	bstance or mixture		
GHS Clas	ssification of subs	tance or mixture in accordance v	vith 29 CFR 1910	(OSHA HCS)
Acute toxi	icity, Oral (Categor	y 4)		
Skin Irrita	nt			
Eye Irritar				
Acute toxi	icity, Inhalation (Ca	tegory 4)		
Respirato	ry Tract Irritation			
2.2 GHS La	bel elements. in	cluding precautionary stateme	ents	
Pictogr		! >		
Signal	Word Wa	rning		
•	d Statement(s):	5		
H30		Harmful if swallowed		
H31		Causes skin irritation		
H31		Causes serious eye irritation		
H33		Harmful if inhaled		
H33		May cause respiratory irritation	1	
	utionary Statement			
Ø	P261	Avoid breathing dust and vapors.		
ven	P264	Wash hands thoroughly after han	•	
ntior	P270	Do not eat, drink or smoke when		
	F2/1	Use only outdoors or in a well-ver		
	P280	Wear protective gloves, clothing,	and eye protectior	l.
Reg	P301+P312	IF SWALLOWED: Call a POISO	N CONTROL CEN	ITER or doctor if you feel unwell.
Response	P302+P352	IF ON SKIN: Wash with plenty of	soap and water.	
nse	P304+P340	IF INHALED: Remove to fresh air breathing.	r and keep at rest	in a position comfortable for
	P305+P351+P338	IF IN EYES: Rinse cautiously with present and easy to do. Continue		minutes. Remove contact lenses, if
	P312	Call a POISON CONTROL CENT	TER or doctor if yo	u feel unwell.
	P330	Rinse mouth.		
	P332+P313	If skin irritation occurs, seek medi	cal attention.	

	P337+P313	If eye irritation persists, get medical attention.
	P362+P364	Take off contaminated clothing and wash before reuse.
Sto	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
Storage	P405	Store locked up.
le		
Disposal	P501	Dispose of contents/container in accordance with federal, state, and local regulations.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

	ition on Ingredie		Dereentege Renge
Component		CAS_Number	Percentage Range
De-ionized water		007732-18-5	60-70%
Nonionic Acrylic Ester Polymer		Trade Secret	18-24%
Diamyl amylphosphonate		6418-56-0	12-16%
Nitric Acid, Concentrated		7697-37-2	approximately 0.1%
Section 4: First-aid Measures			
General Advice		oning may occur after se ommended for at least 48	veral hours; therefore medical hours after exposure.
Ingestion	IF SWALLOWED	Call a POISON CONTR	ROL CENTER or doctor if you feel unwell.
Skin Contact			mounts of water. Remove and wash develops, seek medical attention.
Eye Contact	Irrigate immediate seek medical atte		es. Mechanical irritation is possible;
Inhalation		air. If breathing is labored ration. Seek medical atte	l, administer oxygen. If not breathing, ention.
Most important symptoms and effects, both acute and delayed			effects are described in the labelling (see portant symptoms and effects are so far
Indication of any immediate medical attention and special treatment needed		symptoms (decontamina	ation, vital functions), no known specific
Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry 0	Chemical	
Fire and Explosion Hazards	Polymer does not	support flame.	
	•		eased and extinguishing water runoff may
Protective Equipment	Wear positive pre protective equipm		thing apparatus and full personal
Special Hazards	Possible combust		on dioxide and carbon monoxide.
Special Hazards Section 6: Accidental Release Me			on dioxide and carbon monoxide.
·	easures		
Section 6: Accidental Release Me	easures	ion products include carb	
Section 6: Accidental Release Me	easures Use proper perso Surface may be s	ion products include carb nal protect equipment (sp ippery.	ecified in section 8)
Section 6: Accidental Release Me Personal Precautions Methods and materials for containment	easures Use proper perso Surface may be s Ventilate area and	ion products include carb nal protect equipment (sp ippery.	ecified in section 8) erial pickup is complete.
Section 6: Accidental Release Me Personal Precautions Methods and materials for containment	easures Use proper perso Surface may be s Ventilate area and	ion products include carb nal protect equipment (sp ippery. I wash spill site after mate	ecified in section 8) erial pickup is complete.
Section 6: Accidental Release Me Personal Precautions Methods and materials for containment and clean-up	easures Use proper person Surface may be s Ventilate area and Sweep up materia	ion products include carb nal protect equipment (sp ippery. I wash spill site after mate	ecified in section 8) erial pickup is complete.
Section 6: Accidental Release Me Personal Precautions Methods and materials for containment and clean-up Reference to other sections Section 7: Handling and Storage	easures Use proper perso Surface may be s Ventilate area and Sweep up materia For disposal see s	ion products include carb nal protect equipment (sp ippery. I wash spill site after mate I and transfer to a suitabl section 13.	ecified in section 8) erial pickup is complete.
Section 6: Accidental Release Me Personal Precautions Methods and materials for containment and clean-up Reference to other sections	Use proper person Surface may be s Ventilate area and Sweep up materia For disposal see s	ion products include carb nal protect equipment (sp ippery. I wash spill site after mate	ecified in section 8) erial pickup is complete. e container for disposal.

٦

Specific End Use(s)	Apart from the uses mentioned in section 1 no other specific uses are stipulated.
Section 8: Exposure Con	trols / Personal Protection
Control Parameters	Contains no substances with occupational exposure limit values.

Control Parameters	Contains no substances with occupational exposure limit values.
Exposure Controls	Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.
	Mechanical exhaust is required.
	Do not eat, drink or smoke when using this product.
Eye protection	Wear safety glasses.
Skin Protection	Wear impervious gloves and clean body-covering clothing.
Respiratory protection	Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.
	Do not breathe dust.

Section 9: Physical Properties

Section 9. Filysical Flopenies					
Information on basic phy	sical and chen	nical properties			
Appearance: Powder Hard_off-wh		ite spherical beads	Explosion Limits (Upper/Lower):	Not Established	
Odor: Low to none		Flash Point:	Not applicable		
		Flammability:	Not Established		
pH:	Not relevant		Autolgnition Temperature:	Product is not self-igniting.	
Melting Point: Not Established		Decomposition Not Established			
Boiling Point:			Temperature		
Relative Density:	0.37 g/mL a	t 25°C	VaporPressure:	Not Established	
Solubility:	Insoluble in water		VaporDensity:	Not Established	
Partition Coefficient:	Not Establis	hed	Evaporation Rate:	Not Established	
Viscosity: Not Applicable		ole			
Section 10: Stability and Reactivity					
Reactivity		No hazardous reactions if stored and handled as indicated.			
Chemical Stability		Stable under normal handling and storage conditions.			
Hazardous reactions Rea		Reacts with strong ox	Reacts with strong oxidizing agents.		
Conditions to Avoid		No relevant information available.			
Materials to Avoid Cont		Contact with strong oxidizers will degrade material.			
Hazardous decomposition Products Possible combustion phosphorous oxides		n products include carbon monoxide, carbon dioxide, and			

Section 11: Toxicology Information

	The product has not been tested. The statements on toxic from the properties of the individual components.	ology have been derived		
Acute Toxicity				
Oral Effects	Polymer, Oral LD50 > 5,000 mg/kg (rat)			
	Extractant, Oral LD50 > 500 mg/kg (rat)			
Inhalation Effects	Nitric Acid LC50 = 138 ppm/30 min (rat).			
Dermal Effects Polymer, Dermal LD50 > 5,000 mg/kg (rabbit)				
	Extractant, Dermal LD50 > 1,000 mg/kg (rabbit)			
Skin corrosion/irritation	leitert (s. slie en den ser en en berne en Endersten (s. jeiter			
	Irritant to skin and mucous membranes. Extractant is irrita	()		
Nitric Acid solution is Non-corrosive to skin via Corrositex® (skin) test. Serious eye damage/irritation				
May cause irritation or corneal injury. Extractant is irritant (rabbit). Respiratory or skin sensitization				
No data available regarding respiratory or skin sensitization effects of this product.				
Printed: Thursday, February 01, 2018	Page 3 of 5	Eichrom Technologies LLC		

<u> </u>	VA® Resin Column SDS - Column Revision Date: 01-Feb-			
Germ Cell Mutagenicity	No data available regending mysterica offecto of this product			
Carcinogenicity	No data available regarding mutagenic effects of this product.			
Carcinogenicity	No specific data available. Minimize direct exposure to material.			
Reproductive Toxicity				
	No data available regarding reproductive effects of this product.			
Specific Target Organ Toxicity				
Single Exposure	No data available regarding specific target organ toxicity single exposure.			
Repeated Exposure	No data available regarding specific target organ toxicity repeated exposure.			
Aspiration Hazard				
	No data available regarding aspiration hazards associated with this product.			
Section 12: Ecological Inform	nation			
Aquatic Toxicity	*The product has not been tested. The statement has been derived from the			
	properties of individual components using an additivity method.			
Persistance and degradability	No data are available for persistance and degradability.			
Bioaccumulative potential	No data are available for bioaccumulative potential.			
Mobility in Soil	No data are available for mobility in soil.			
PBT/vPvB assessment PBT/vPvB assessment not available as chemical safety assessment required/not conducted.				
Other	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.			
	handling or disposal. Very toxic to aquatic life with long lasting effects.			
Section 13: Disposal Conside				
General	erations Dispose of contents/container in accordance with federal, state, and local			
General	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an			
General	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.			
General Unused:	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.			
General Unused: Used:	 Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations. 			
General Unused: Used: Section 14: Transport Inform	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations.			
General Unused: Used: <u>Section 14: Transport Inform</u> Air Transport:	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations. Not Hazardous per IATA 2014			
Section 13: Disposal Conside General Unused: Used: <u>Section 14: Transport Inform</u> Air Transport: Ground Transport:	erations Dispose of contents/container in accordance with federal, state, and local regulations. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. Dispose of liquid according to local regulations for acids. Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations. For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations.			

US Federal Regulations

Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.

Section 16: Other Information

	UTEVA® Resin Column SDS - Column	Revision Date:	01-Feb-18
Revision	Updated to GHS SDS format, including classification		
	1-Feb-2018: Update Emergency Phone Numbers		
SDS Prepared By:	Eichrom Technologies LLC		

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.