# SAFETY DATA SHEET

Anion Exchange Resin SDS

Section 1: Chemical Product and Company Identification

Product Name Anion Exchange Resin

Product Number(s): A4-B500-C-CL, A4-B500-M-CL, A4-DR10-C-CL, A4-DR10-M-CL, A4-R50M-CL, A8-B500-C-CL,

A8-B500-F-CL, A8-B500-M-CL, A8-C50-M-CL, A8-DR10-C-CL, A8-DR10-F-CL, A8-DR10-M-CL,

Revision Date:

18-Aug-20

A8-DR5-I-CL, A8-R50-M-CL

Product Synonym(s): Anion Exchange Resin, chloride form 1x4, Anion Exchange Resin 1x8

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

**Country Specific Emergency Numbers:** 

Australia: 1-300-954-583 India: 000-800-100-4086 Brazil: 0-800-591-6042 Mexico: 1-800-99-731

### Section 2: Hazard(s) Identification

#### 2.1 Classification of the substance or mixture

GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Skin Irritant and Mild Eye Irritant Respiratory Tract Irritation

#### 2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word Warning

Hazard Statement(s):

H315+H320 Causes skin irritation and eye irritation.

H335 May cause respiratory irritation

#### Precautionary Statement(s):

oddionary Claicinoni(o).				
Œ.	P261	Avoid breathing dust.		
	P264	Wash hands thoroughly after handling.		
	P271	Use only outdoors or in a well-ventilated area.		
	P280	Wear protective gloves, clothing, and eye protection.		
S	P302+P352	IF ON SKIN: Wash with plenty of soap and water.		
	P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.		
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.		
	P332+P313	If skin irritation occurs, seek medical attention.		
	P337+P313	If eye irritation persists, get medical attention.		
	P362+P364	Take off contaminated clothing and wash before reuse.		
Storage	P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
	P403+P233 P405	Store locked up.		
Dispo		Dispose of contents/container in accordance with federal, state, and local regulations.		

breathing.

Inhalation

Most important symptoms and effects,

attention and special treatment needed antidote.

Indication of any immediate medical

both acute and delayed

	se Classified (HNOC) or not cov			
Component	•	CAS_Number	Percentage Range	
Styrene, divinylbenzene and ethylstyrene copolymer, chloromethyl trimethylamine functionalized in the chloride form		69011-19-4	65-70%	
De-ionized water		007732-18-5	30-35%	
Section 4: First-aid M	easures			
Ingestion	Rinse mouth and c	Rinse mouth and call a POISON CONTROL CENTER or doctor if you feel unwell.		
Skin Contact		Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.		
Eye Contact		cautiously with water fo nd easy to do. Continue	r several minutes. Remove contact e rinsing.	
	If eye irritation pers	sists, get medical attention	on.	

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

Treat according to symptoms (decontamination, vital functions), no known specific

Revision Date: 18-Aug-20

Section 5: Firefighting Measures			
Extinguishing Media	Foam, CO2, Dry Chemical		
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.		
Special Hazards	Possible combustion products include carbon oxides, nitrogen oxides, chlorine.		

No further relevant information available.

Section 6: Accidental Release Measures			
Personal precautions	Avoid creating and breathing dust. See section 8.		
	Use proper personal protect equipment (specified in section 8)		
	Surface may be slippery.		
Methods and materials for containment and clean-up	Sweep up material and transfer to a suitable container for disposal.		
Reference to other sections	For disposal see section 13.		

Section 7: Handling and Storage			
Conditions for safe handling	Avoid repeated freeze-thaw cycles; beads may fracture. If frozen, thaw at room temperature.		
	Use mechanical exhaust if dust is formed.		
Conditions for safe storage	Normal warehouse storage in cool, dry area is satisfactory.		
	Storage temperature: 0 to 50 °C (32 to 122°F)		
	Recommended shelf Life: Use within 24 months		
	Preferred Storage temperature is in the lower half of the range given below.		
	Keep away from strong oxidizers.		
Specific End Use(s)	Apart from the uses mentioned in section 1 no other specific uses are stipulated.		

Section 8: Exposure Controls / Personal Protection			
Control Parameters Contains no substances with occupational exposure limit values.			
Exposure Controls Avoid contact with skin, eyes, and clothing. Wash hands before breaks a immediately after handling the product.			
	Do not eat, drink or smoke when using this product.		
Eye protection	Wear safety glasses.		
Body protection	Wear protective gloves and clothing.		
Respiratory protection	Do not breathe dust.		

Eichrom Technologies LLC Printed: Tuesday, August 18, 2020 Page 2 of 4

Section 9: Physical Properties				
Information on basic physical and chemical properties				
Appearance:	Powder White to Yellow	Explosion Limits (Upper/Lower):	Not applicable	
Odor:	Amine	Flash Point:	Not applicable	
Odor Threshold:	•	Flammability:	Not flammable until all moisture	
pH: Melting Point:	Essentially neutral 0 °C (water); Not determined for		is removed; resin starts to burn in flame at 230°C	
Welling Form.	solid	Autolgnition Temperature:	above 500°C	
Boiling Point:	100 °C (water); Not determined for solid	Decomposition Temperature	Not Established	
Relative Density:	44 lb/cuft	VaporPressure:	Not Established	
Solubility:	Insoluble in water	VaporDensity:	Not Established	
Partition Coefficient:	Not Established	Evaporation Rate:	Not established	
Viscosity:	Not Applicable			

## Section 10: Stability and Reactivity

No hazardous reactions if stored and handled as indicated. Reactivity Chemical Stability Stable under normal handling and storage conditions. **Hazardous Reactions** No hazardous reactions are expected in normal laboratory use. Hazardous polymerization will not occur. Conditions to Avoid Exposure to elevated temperatures can cause product to decompose. Materials to Avoid Contact with strong oxidizers will degrade material. Hazardous decomposition Products Decomposition products depend upon temperature, air supply, and the presence of

other materials. Decomposition products can include and are not limited to: Chlorinated hydrocarbons, aromatic compounds, hydrocarbons, hydrogen chloride, and organic amines

Revision Date: 18-Aug-20

#### Section 11: Toxicology Information

Acute	Toxicity	
touto	IONICITY	

**Oral Effects** Oral LD50 > 5,000 mg/kg (rat)

Inhalation Effects Inhalation LC50 has not been determined. **Dermal Effects** Dermal LD50 has not been determined.

Skin corrosion/irritation

Prolonged exposure not likely to cause significant skin irritation. May cause more

severe response if skin is abraded (scratched or cut).

Serious eye damage/irritation

May cause slight temporary eye irritation. Solid or dust may cause irritation or

corneal injury due to mechanical action.

Respiratory or skin sensitization

No relevant data found.

Germ Cell Mutagenicity

No relevant data found.

Carcinogenicity

No relevant data found.

Reproductive Toxicity

No relevant data found.

Specific Target Organ Toxicity

Single Exposure No relevant data found.

Repeated Exposure No relevant data found. Not anticipated to cause significant adverse effects.

Aspiration Hazard

No data available regarding the aspiration hazard of this product.

# Anion Exchange Resin SDS

# Section 12: Ecological Information

No data are available on the adverse effects of this material on the environment.

Aquatic Toxicity Not expected to be acutely toxic, but material in pellet or bead form may

mechanically cause adverse effects if ingested by waterfowl or aquatic life.

Persistance and degradability This water-insoluble polymeric solid is expected to be inert in the environment.

Surface photodegradation is expected with exposure to sunlight. No appreciable

Revision Date:

18-Aug-20

biodegredation is expected

Bioaccumulative potential Partition coefficient, n-octanol/water (log Pow) is not applicable.

Mobility in Soil In the terrestrial environment, material is expected to remain in the soil. In the

aquatic environment, material will sink and remain in the sediment.

## Section 13: Disposal Considerations

General Avoid disposal to sewers and local waterways.

Dispose of contents/container in accordance with federal, state, and local

regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

## Section 14: Transport Information

Air Transport: Not Hazardous per IATA 2014

Ground Transport: Not D.O.T. Hazardous

Water Transport: Not Hazardous per IMDG 2012.

## Section 15: Regulatory Information

Canada - DSL/NDSL All substances contained in this product are listed on the Canadian Domestic

Substances List (DSL) or are not required to be listed.

US Federal Regulations Toxic Substances Control Act (TSCA): All components of this product are on the

TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR

720.30.

**US State Regulations** 

Used:

To the best of our knowledge, no substances are listed on the following Right-to-

Know State Lists: PA

This product contains no listed substances known to the state of California to cause cancer, birth defects, or other reproductive harm, at levels which would require a

warning under California Proposition 65 (Safe Drinking Water and Toxic

Enforcement Act)

#### Section 16: Other Information

 Revised:
 8/18/2020

 Replaces Revision:
 7/2/2019

Revision Product Name change.

SDS Prepared By: Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.