Section 1:		EVA® Resin SDS - Bulk and uct and Company Identification	<u> </u>	Revision Date: 04-Aug-22		
			///			
Product Num	-	UTEVA® Resin UT1ML-R01-S, UT1ML-R50-S, UT-B01-A, UT-B01-F, UT-B01-S, UT-B100-A, UT-B100-S,				
Product Num	UT-B UT-R	UT-B200-A, UT-B200-S, UT-B25-A, UT-B25-S, UT-B50-A, UT-B50-S, UT-R01-S, UT-R25-S, UT-R50-S				
Product Sync	J ()	UTEVA® Resin				
Identified Use	es: Labor	atory chemicals, manufacture of su	ubstances			
Manufacturer	1955	Eichrom Technologies LLCGeneral Information:(8-5 CST M-F)1955 University LaneInformation:800-422-6693 (in USA)Lisle, Illinois 60532630-963-0320				
24 Hour Eme	ergency Number (US/Canada): 1-800-255-3924	CHEMTEL Co	ntract #:MIS9554039		
24 Hour Inte	rnational Access	Number: 1-813-248-0585	5			
		Country Specific Emerger	ncy Numbers:			
Australia	: 1-300-954-583		India: 000-8	00-100-4086		
Brazil	: 0-800-591-604	2	Mexico: 1-800	-99-731		
Section 2:	Hazard(s) Ident	ification				
E		ibstance or mixture				
		stance or mixture in accordance	with 20 CEP 1010			
	icity, Oral (Categor		with 25 CI IC 1510			
Skin Irrita		y +)				
Eye Irritar						
•	cicity, Inhalation (Ca	tegory 4)				
Respirato	ory Tract Irritation					
2.2 GHS La	abel elements, iu	ncluding precautionary stater	ments			
Pictog						
5	<	!>				
Signal	Word Wa	arning				
Hazaro	d Statement(s):					
H30	02	Harmful if swallowed				
H3 ²	15	Causes skin irritation				
H3 ²	19	Causes serious eye irritation				
H33	32	Harmful if inhaled				
H33	35	May cause respiratory irritatio	n			
Preca	utionary Statement	(s):				
Pr	P261	Avoid breathing dust and vapors				
Prevention	P264	Wash hands thoroughly after har	ndling.			
ntior	P270	Do not eat, drink or smoke when				
	P2/1	Use only outdoors or in a well-ve				
_	P280	Wear protective gloves, clothing,				
ア	P301+P312	IF SWALLOWED: Call a POISC	ON CONTROL CEN	NTER or doctor if you feel unwell.		
es			-			
espon	P302+P352	IF ON SKIN: Wash with plenty of	-			
Response	P302+P352 P304+P340	IF INHALED: Remove to fresh a breathing.	ir and keep at rest	-		
esponse	P302+P352 P304+P340 P305+P351+P338	IF INHALED: Remove to fresh a breathing.	ir and keep at rest h water for several	in a position comfortable for minutes. Remove contact lenses, if		
esponse		IF INHALED: Remove to fresh a breathing.3 IF IN EYES: Rinse cautiously with	ir and keep at rest h water for several e rinsing.	minutes. Remove contact lenses, if		
esponse	P305+P351+P338	 IF INHALED: Remove to fresh a breathing. IF IN EYES: Rinse cautiously wit present and easy to do. Continu 	ir and keep at rest h water for several e rinsing.	minutes. Remove contact lenses, if		

	P337+P313	UTEVA® Resin SDS - Bulk and Cartridge If eye irritation persists, get medical attention.	Revision Date:	04-Aug-22
	P362+P364	Take off contaminated clothing and wash before reuse.		
Sto	P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
orage	P405	Store locked up.		
Ð				
Disposal	P501	Dispose of contents/container in accordance with federal, state,	and local regulat	tions.

2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component		CAS_Number	Percentage Range
Nonionic Acrylic Ester Polymer		Trade Secret	61%
Diamyl amylphosphonate		6418-56-0	39%
Section 4: First-aid Measures			
General Advice		ning may occur after se at least 48 hours after	veral hours; therefore medical observation exposure.
Ingestion	IF SWALLOWED: 0	Call a POISON CONTR	ROL CENTER or doctor if you feel unwell.
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.		
Eye Contact	Irrigate immediately seek medical attenti		ninutes. Mechanical irritation is possible;
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.		
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.		
Indication of any immediate medical attention and special treatment needed	Treat according to symptoms (decontamination, vital functions), no known specific antidote.		
Section 5: Firefighting Measures	6		
Extinguishing Media	Foam, CO2, Dry Ch	emical.	
Fire and Explosion Hazards	Polymer does not su	upport flame.	
	Highly toxic and irrit be toxic.	ating fumes may be rele	eased and extinguishing water runoff may
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.		
Special Hazards	Possible combustion	n products include carb	on dioxide and carbon monoxide.
Section 6: Accidental Release M	easures		
Personal Precautions	Use proper persona	l protect equipment (sp	ecified in section 8)
	Surface may be slip		

	Surface may be slippery.
Methods and materials for containment and clean-up	Ventilate area and wash spill site after material pickup is complete.
	Sweep up material and transfer to a suitable container for disposal.
Reference to other sections	For disposal see section 13.

Section 7: Handling and Storage		
Conditions for safe handling	Use mechanical exhaust if dust is formed.	
Conditions for safe storage	Normal warehouse storage in cool, dry area is satisfactory.	
	Keep away from strong oxidizers.	
Specific End Use(s)	Apart from the uses mentioned in section 1 no other specific uses are stipulated.	

Section 8: Exposure Con	trols / Personal Protection
Control Parameters	Contains no substances with occupational exposure limit values.
Exposure Controls	Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.
	Mechanical exhaust is required.
	Do not eat, drink or smoke when using this product.
Eye protection	Wear safety glasses.
Skin Protection	Wear impervious gloves and clean body-covering clothing.
Respiratory protection	Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.
	Do not breathe dust.

Section 9: Physical Properties

eestien et Thyereur	TToportioo			
Information on basic physical and chemical properties				
Appearance:	Powder		Explosion Limits	Not Established
	Hard, off-wh	ite spherical beads	(Upper/Lower):	
Odor:	Low to none)	Flash Point:	Not applicable
Odor Threshold:	Not Establis	hed	Flammability:	Not Established
pH:	Not relevant	t	Autolgnition Temperature:	Product is not self-igniting.
Melting Point:	Not Establis	hed	Decomposition Temperatur	e Not Established
Boiling Point:	Not Establis	hed		
Relative Density:	0.37 g/mL a	t 25°C	VaporPressure:	Not Established
Solubility:	Insoluble in	water	VaporDensity:	Not Established
Partition Coefficient:	Not Establis	hed	Evaporation Rate:	Not Established
Viscosity:	Not Applical	ble		
Section 10: Stability and Reactivity				
Reactivity		No hazardous reactio	ns if stored and handled as i	ndicated.
Chemical Stability		Stable under normal	handling and storage condition	ons.
Hazardous reactions		Reacts with strong ox	idizing agents.	
Conditions to Avoid		No relevant information	on available.	
Materials to Avoid		Contact with strong o	xidizers will degrade material	
Hazardous decompositio	on Products	Possible combustion phosphorous oxides.	products include carbon mor	oxide, carbon dioxide, and

Section 11: Toxicology Information

	The product has not been tested. The statements on to from the properties of the individual components.	oxicology have been derived
Other		
	The product shows the following dangers according to a General EUClassification Guidelines for Preparations a version as of 27-May-15: Harmful Irritant	
Acute Toxicity		
Oral Effects	Polymer, Oral LD50 > 5,000 mg/kg (rat)	
	Extractant, Oral LD50 > 500 mg/kg (rat)	
Inhalation Effects	No data available.	
Dermal Effects	Polymer, Dermal LD50 > 5,000 mg/kg (rabbit)	
	Extractant, Dermal LD50 > 1,000 mg/kg (rabbit)	
Skin corrosion/irritation		
	Irritant to skin and mucous membranes. Extractant is in	rritant (rabbit).
Serious eye damage/irritation		
	May cause irritation or corneal injury. Extractant is irrita	ant (rabbit).
Printed: Thursday, August 4, 2022	Page 3 of 5	Eichrom Technologies LLC

UTEVA® Resin SDS - Bulk and Cartridge

• =	· · · · · · · · · · · · · · · · · · ·
Respiratory or skin sensitization	
	No data available regarding respiratory or skin sensitization effects of this product.
Germ Cell Mutagenicity	
	No data available regarding mutagenic effects of this product.
Carcinogenicity	
	No specific data available. Minimize direct exposure to material.
Reproductive Toxicity	
	No data available regarding reproductive effects of this product.
Specific Target Organ Toxicity	
Single Exposure	No data available regarding specific target organ toxicity single exposure.
Repeated Exposure	No data available regarding specific target organ toxicity repeated exposure.
Aspiration Hazard	
	No data available regarding aspiration hazards associated with this product.

Section 12: Ecological Inform	nation
Aquatic Toxicity	
	*The product has not been tested. The statement has been derived from the properties of individual components using an additivity method.
Persistance and degradability	
	No data are available for persistance and degradability.
Bioaccumulative potential	
	No data are available for bioaccumulative potential.
Mobility in Soil	
	No data are available for mobility in soil.
PBT/vPvB assessment	
	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Other	
	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

Section 13: Disposal Considerations	
General	Dispose of contents/container in accordance with federal, state, and local regulations.
Unused:	Bury resin in licensed landfill or burn in approved incinerator equipped with an afterburner and scrubber according to local, state, and federal regulations.
Used:	For resin contaminated with hazardous materials, dispose of mixture as hazardous material according to local, state, and federal regulations.

Section 14: Transport Information			
Air Transport:	Not Hazardous per IATA 2014		
Ground Transport:	Not D.O.T. Hazardous		
Water Transport:	Not Hazardous per IMDG 2012.		
Section 15: Regulatory Inf	formation		
US Federal Regulations	Toxic Substances Control Act (TSCA): This material is provided to you under the research and development (R&D) exemption.		

Section 16: Other Information

	UTEVA® Resin SDS - Bulk and Cartridge	Revision Date:	04-Aug-22
Revised:	8/4/2022		
Replaces Revision:	2/1/2018		
Revision	Added new part numbers.		
	1-Feb-2018: Update Emergency Phone Numbers		
	Removal of obsolete part number(s).		
SDS Prepared By:	Eichrom Technologies LLC		

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.