# SAFETY DATA SHEET

UTEVA® Resin Column SDS - Column

Section 1: Chemical Product and Company Identification

Product Name UTEVA® Resin Column

Product Number(s): UT10-C01-A, UT20-C20-A, UT20-C01-A, UT20-C20-A, UT2CM-C01-A, UT2CM-C50-A,

UT5-C01-A, UT5-C20-A, UT-C01-A, UT-C20-A, UT-C50-A

Product Synonym(s): UTEVA® Resin Column

Identified Uses: Laboratory chemicals, manufacture of substances

Manufacturer: Eichrom Technologies LLC General (8-5 CST M-F)

1955 University Lane Information: 800-422-6693 (in USA)

Revision Date: 04-Aug-22

Lisle, Illinois 60532 630-963-0320

24 Hour Emergency Number (US/Canada): 1-800-255-3924 CHEMTEL Contract #:MIS9554039

24 Hour International Access Number: 1-813-248-0585

**Country Specific Emergency Numbers:** 

Australia: 1-300-954-583 India: 000-800-100-4086 Brazil: 0-800-591-6042 Mexico: 1-800-99-731

### Section 2: Hazard(s) Identification

#### 2.1 Classification of the substance or mixture

### GHS Classification of substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4)

Skin Irritant

Eve Irritant

Acute toxicity, Inhalation (Category 4)

Respiratory Tract Irritation

### 2.2 GHS Label elements, including precautionary statements

Pictogram:



Signal Word Warning

Hazard Statement(s):

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

### Precautionary Statement(s):

	,	,
Pre	P261	Avoid breathing dust and vapors.
eye	P261 P264 P270	Wash hands thoroughly after handling.
ntio	P270	Do not eat, drink or smoke when using this product.
$\supset$	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves, clothing, and eye protection.
Re	P301+P312	IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell.
sponse	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
nse	P304+P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312	Call a POISON CONTROL CENTER or doctor if you feel unwell.
	P330	Rinse mouth.
	P332+P313	If skin irritation occurs, seek medical attention.
	P337+P313	If eye irritation persists, get medical attention.

# UTEVA® Resin Column SDS - Column

	P362+P364	Take off contaminated clothing and wash before reuse.
St	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
orage	P403+P233 P405	Store locked up.
	P501	Dispose of contents/container in accordance with federal, state, and local regulations.

Revision Date: 04-Aug-22

# 2.3 Hazards Not Otherwise Classified (HNOC) or not covered by GHS:

Component		CAS_Number	Percentage Range	
De-ionized water		007732-18-5	60-70%	
Nonionic Acrylic Ester Polymer		Trade Secret	18-24%	
Diamyl amylphosphonate		6418-56-0	12-16%	
Nitric Acid, Concentrated		7697-37-2	approximately 0.1%	
Section 4: First-aid Measures				
General Advice	Symptoms of poisoning may occur after several hours; therefore medical observation is recommended for at least 48 hours after exposure.			
Ingestion	IF SWALLOWED: Call a POISON CONTROL CENTER or doctor if you feel unwell.			
Skin Contact	Wash immediately with soap and copious amounts of water. Remove and wash contaminated clothing promptly. If irritation develops, seek medical attention.			
Eye Contact	Irrigate immediately with water for several minutes. Mechanical irritation is possible; seek medical attention.			
Inhalation	Remove to fresh air. If breathing is labored, administer oxygen. If not breathing, give artificial respiration. Seek medical attention.			
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.			
Indication of any immediate medical attention and special treatment needed				
Section 5: Firefighting Measures	<b>)</b>			
Extinguishing Media	Foam, CO2, Dry	Chemical.		
Fire and Explosion Hazards	Polymer does no	ot support flame.		
	Highly toxic and be toxic.	irritating fumes may be rele	eased and extinguishing water runoff may	
Protective Equipment	Wear positive pressure self-contained breathing apparatus and full personal protective equipment.			
Special Hazards	Possible combus	stion products include carbo	on dioxide and carbon monoxide.	
Section 6: Accidental Release M	easures			
Personal Precautions	Use proper pers	onal protect equipment (sp	ecified in section 8)	
	Surface may be	slippery.		
	Ventilate area ar	nd wash spill site after mate	erial pickup is complete.	
and clean-up		ial and transfer to a suitable	e container for disposal.	
and clean-up	Sweep up mater For disposal see		e container for disposal.	
and clean-up Reference to other sections	For disposal see		e container for disposal.	
Methods and materials for containment and clean-up  Reference to other sections  Section 7: Handling and Storage  Conditions for safe handling  Conditions for safe storage	For disposal see			

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

Keep away from strong oxidizers.

Specific End Use(s)

Revision Date: 04-Aug-22

Section 8: Exposure	e Controls / I	Personal Protection	1		
Control Parameters		Contains no substan	ces with occupational expos	sure limit values.	
Exposure Controls		Contains no substances with occupational exposure limit values.  Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.			
		Mechanical exhaust is required.			
		Do not eat, drink or s	moke when using this prod	uct.	
Eye protection		Wear safety glasses.			
Skin Protection		Wear impervious glo	ves and clean body-coverin	g clothing.	
Respiratory protection		Use NIOSH/MSHA approved respirator when handling material outside of mechanical exhaust. An air-purifying respirator with an organic vapor cartridge or canister may be permissible.  Do not breathe dust.			
Section 9: Physical	Proportios	De net predire duet.			
Section 9: Physical Information on basic physical		nical properties			
Appearance:	Powder	iicai properties	Explosion Limits	Not Established	
Appearance.		ite spherical beads	(Upper/Lower):	NOT ESTABLISHED	
Odor:	Low to none	-	Flash Point:	Not applicable	
Odor Threshold:	Not Establis		Flammability:	Not Established	
pH:	Not relevant		Autolgnition Temperature		
Melting Point:	Not Felevani		Decomposition Temperature		
Boiling Point:	Not Establis			and 140t Established	
Relative Density:	0.37 g/mL a		VaporPressure:	Not Established	
Solubility:	Insoluble in		VaporDensity:	Not Established	
Partition Coefficient:	Not Establis		Evaporation Rate:	Not Established	
Viscosity: Not Applical				. 131 201451101104	
Section 10: Stability					
Reactivity			ons if stored and handled as	s indicated.	
Chemical Stability		Stable under normal handling and storage conditions.			
Hazardous reactions		Reacts with strong oxidizing agents.			
Conditions to Avoid		No relevant information available.			
Materials to Avoid		Contact with strong of	oxidizers will degrade mater	ial.	
Hazardous decomposition	n Products	Possible combustion products include carbon monoxide, carbon dioxide, and phosphorous oxides.			
Section 11: Toxicolo	ogy Informat	ion			
			been tested. The statemer f the individual components	nts on toxicology have been derived s.	
Acute Toxicity					
Oral Effects		Polymer, Oral LD50 > 5,000 mg/kg (rat)			
		Extractant, Oral LD50 > 500 mg/kg (rat)			
Inhalation Effects		Nitric Acid LC50 = 138 ppm/30 min (rat). Polymer, Dermal LD50 > 5,000 mg/kg (rabbit) Extractant, Dermal LD50 > 1,000 mg/kg (rabbit)			
Dermal Effects					
Skin corrosion/irritation					
		Irritant to skin and mucous membranes. Extractant is irritant (rabbit).  Nitric Acid solution is Non-corrosive to skin via Corrositex® (skin) test.			
Serious eye damage/irrit	ation		or corneal injury. Extractan	·	
Posniratory or akin sona	: <b>:::</b> :	may baddo irritation (	or comodingary. Extraotant	tio initialit (rappit).	

Printed: Thursday, August 4, 2022 Page 3 of 5 Eichrom Technologies LLC

No data available regarding respiratory or skin sensitization effects of this product.

Respiratory or skin sensitization

### UTEVA® Resin Column SDS - Column

Germ Cell Mutagenicity

No data available regarding mutagenic effects of this product.

Carcinogenicity

No specific data available. Minimize direct exposure to material.

Reproductive Toxicity

No data available regarding reproductive effects of this product.

Specific Target Organ Toxicity

Single Exposure

No data available regarding specific target organ toxicity single exposure.

Repeated Exposure

No data available regarding specific target organ toxicity repeated exposure.

Aspiration Hazard

No data available regarding aspiration hazards associated with this product.

Revision Date: 04-Aug-22

### Section 12: Ecological Information

Aquatic Toxicity

\*The product has not been tested. The statement has been derived from the

properties of individual components using an additivity method.

Persistance and degradability

No data are available for persistance and degradability.

Bioaccumulative potential

No data are available for bioaccumulative potential.

Mobility in Soil

No data are available for mobility in soil.

PBT/vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not

required/not conducted.

Other

Used:

An environmental hazard cannot be excluded in the event of unprofessional handling

or disposal. Very toxic to aquatic life with long lasting effects.

### Section 13: Disposal Considerations

General Dispose of contents/container in accordance with federal, state, and local regulations.

Unused: Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

Dispose of liquid according to local regulations for acids.

Bury resin in licensed landfill or burn in approved incinerator equipped with an

afterburner and scrubber according to local, state, and federal regulations.

For resin contaminated with hazardous materials, dispose of mixture as hazardous

material according to local, state, and federal regulations.

# Section 14: Transport Information

Air Transport: Not Hazardous per IATA 2014

Ground Transport: Not D.O.T. Hazardous

Water Transport: Not Hazardous per IMDG 2012.

#### Section 15: Regulatory Information

US Federal Regulations Toxic Substances Control Act (TSCA): This material is provided to you under the

research and development (R&D) exemption.

### Section 16: Other Information

UTEVA® Resin Column SDS - Column

Revised: 8/4/2022 Replaces Revision: 2/1/2018

Revision Removal of incorrect part number(s).

1-Feb-2018: Update Emergency Phone Numbers

Revision Date: 04-Aug-22

SDS Prepared By: Eichrom Technologies LLC

The information set forth herein has been gathered from standard reference materials and is to the best knowledge and belief of Eichrom Technologies LLC, accurate and reliable. Such information is offered solely for your consideration, investigation and verification, and does not suggest or guarantee that the hazard precautions or procedures mentioned are the only ones that exist. Eichrom Technologies LLC makes no warrantees, express or implied, with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefore.

Printed: Thursday, August 4, 2022 Page 5 of 5 Eichrom Technologies LLC